

# ITC MALTA

NETWORKING WITH A DIFFERENCE

**B2B TECH COMP**  
SMARTPHONE / TABLET /  
ECOSYSTEM TV / MONITOR

Bay's Gross  
Merchandise Volume  
in Q4 was \$18.6b

Delegate Directory  
**Full Page**  
Advert Guidelines

# Advert Dimensions

The following guidelines have been created to assist you in supplying your advert to us at the correct size to enable us to print your advert to the highest quality.

## Advert Size

**WIDTH** 210mm **HEIGHT** 297mm

The advert size is the final, finished dimensions of your printed advert after it has been cut to size and the bleed removed.

## Bleed

**WIDTH** 220mm **HEIGHT** 307mm

Extend the background of your advert **5mm** beyond the advert size on all sides of the artwork, bringing your total artwork size to 220mm x 307mm.


This ensures your design fully reaches the edge of the advert size, avoiding unsightly white borders once printed and trimmed.

## Safe Zone


**WIDTH** 180mm **HEIGHT** 277mm

Allow a minimum of **10mm** top and bottom, and **15mm** left and right from the edge of the advert size.

Keep all text and graphics in this zone.



# Full-Page Advert Dimensions



## Advert Size

**WIDTH** 210mm **HEIGHT** 297mm

The final trimmed size of your printed advert.

## With Bleed

**WIDTH** 220mm **HEIGHT** 307mm

A 5mm bleed must be added to all sides of the artwork. Ensure background extends into this area.

## Safe Zone

**WIDTH** 180mm **HEIGHT** 277mm

Keep all important information in this zone to prevent it from being removed once trimmed.

# Creating Your Artwork

## IMPORTANT DESIGN CONSIDERATIONS

Creating files for print within our Delegates Directory requires certain key considerations, we list these below as a helpful guide when designing & exporting your adverts

### 1 | Colour

Use **CMYK** for all colour elements in your advert.

Avoid RGB, Spot, Indexed, or Lab colours, as they will be converted to CMYK, and we cannot guarantee colour accuracy after conversion.

### 2 | Images

Whenever possible, use **scalable vector** format for logos created using professional design software.

All images must be high resolution a minimum of **300 DPI**; do not increase DPI artificially in Photoshop, as this causes pixelated, blurry or low-quality images.

### 3 | Text

Use clear, **legible typefaces** at a size that are easy to read at a glance.

Avoid placing text over complex or detailed backgrounds that could make it hard to read.

### 4 | Size, Bleed & Safe Zone

**Advert size** represents the final dimensions of your advert after it has been printed and trimmed.

All artwork must include a **5mm bleed**. Ensure the advert **background extends fully into the bleed** to avoid unsightly white borders after trimming.

Keep all important text, logos and content within the **safe zone** - with a 15mm left and right margin and a 10mm top and bottom margin.

### 5 | Your PDF

Adverts must be provided as a **high-resolution PDF** (PDF v1.3 or higher, PDF/X-1a compliant).

Use professional design tools. Files created in Microsoft Paint, Word or PowerPoint will **NOT** be accepted.

Ensure all images and fonts are embedded and that crop marks are **NOT** included on supplied PDF artwork files.



**GOOD**

Vector format



**BAD**

Raster format



**GOOD**

High-resolution image (300DPI)



**BAD**

Low-resolution image (72DPI)



**GOOD**

Use of bleed. Text inside of safe zone



**BAD**

No bleed. Text outside of safe zone




**GOOD**

Readable text on a clear background



**BAD**

Unreadable text on a detailed background



**GOOD**

Print-ready PDF or professional design tool files



**BAD**

Artwork created in Paint, Word or Powerpoint